

Start the conversation

A guide to discussing treatment with your doctor

It's normal to have questions about treatment. Appointments are a great time to connect with your doctor.

Not sure what to ask? The questions below are a good start.

Vision questions

- How can I monitor for changes in my vision? How often should I check?
- Are there certain vision changes or symptoms that I should share right away?
- How much has my vision changed since my last appointment? What should I expect for the future?
- What can I do to help protect my vision or slow progression of wet AMD?

Notes

INDICATION

BEOVU® (brolucizumab-dbll) injection is used for the treatment of Neovascular (Wet) Age-related Macular Degeneration (AMD).

IMPORTANT SAFETY INFORMATION

You should not use BEOVU if you have an infection in or around the eye, eye inflammation, or if you are allergic to brolucizumab or any of the ingredients in BEOVU.

Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) available at BEOVU.com.



Treatment questions

- How often do I need to receive treatment?
- Are there any side effects with this treatment?
- If I miss an eye care appointment or injection, what should I do?
- Will my vision get better with treatment?
- How effective is my treatment?
How do treatment options differ?

Notes

IMPORTANT SAFETY INFORMATION (cont)

BEOVU is a prescription medicine given by injection into the eye. Injections in the eye, including BEOVU, may cause an infection of the eye or retinal detachment (separation of retina from the back of the eye). It is important to contact your doctor right away if your eye becomes red, sensitive to light, painful, or you develop any change in your vision.

Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) available at [BEOVU.com](#).

Beovu[®]
(brolucizumab-dbl) 
Injection

Lifestyle questions

- What lifestyle changes (eg, diet, exercise, vitamins/supplements) may help support my vision?
- What resources do you recommend that can help me live with wet AMD?
- Is it still safe for me to drive?
- Is my family at risk for wet AMD? Should they be examined?

Notes

IMPORTANT SAFETY INFORMATION (cont)

Increased eye pressure has been seen within 30 minutes of an eye injection, including BEOVU. Sustained increases in eye pressure also have been reported. Your doctor should monitor for this when you receive a BEOVU injection.

There is a potential risk of stroke, heart attack, or blood clots in patients receiving eye injections of vascular endothelial growth factor (VEGF) inhibitor drugs, including BEOVU. Sudden vision loss due to blockage of the blood vessels in the back of the eye and inflammation of blood vessels in the back of the eye have been reported.

Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) available at [BEOVU.com](#).

Beovu[®]
(brolucizumab-dbl) 
Injection

IMPORTANT SAFETY INFORMATION (cont)

The most common side effects reported in patients receiving BEOVU were reduced clarity in vision, cataract, broken blood vessels in the eye, and vitreous floaters (moving spots in the field of vision).

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see additional Important Safety Information throughout and accompanying full Prescribing Information available at BEOVU.com.

